

L Number	Hits	Search Text	DB	Time stamp
5	3290	365/198.ccls. or 365/185.33.ccls. or 365/189.07.ccls. or 365/218.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:31
6	3811	711/103.ccls. or 711/154.ccls. 711/167.ccls. or 711/218-219.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:32
7	68	709/227-228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:34
8	146	712/37.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:34
9	471	717/168.ccls. or 717/174.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:35
10	310	710/35.ccls. or 710/32.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 11:36
11	2039	(program\$4 or reprogram\$4) with ((sequential or increment\$3 or burst or serial) near2 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 13:02
12	41	(365/198.ccls. or 365/185.33.ccls. or 365/189.07.ccls. or 365/218.ccls.) and ((program\$4 or reprogram\$4) with ((sequential or increment\$3 or burst or serial) near2 address\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 12:04
13	31	((365/198.ccls. or 365/185.33.ccls. or 365/189.07.ccls. or 365/218.ccls.) and ((program\$4 or reprogram\$4) with ((sequential or increment\$3 or burst or serial) near2 address\$3))) and (@ad<=19991215 or @rlad<=19991215)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 12:46
14	109	(program\$4 or reprogram\$4) with (flash or eeprom) with packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 13:02
15	79	((program\$4 or reprogram\$4) with (flash or eeprom) with packet) and (@ad<=19991215 or @rlad<=19991215)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 13:05
16	7863	(365/198.ccls. or 365/185.33.ccls. or 365/189.07.ccls. or 365/218.ccls.) or (711/103.ccls. or 711/154.ccls. 711/167.ccls. or 711/218-219.ccls.) or 709/227-228 or 712/37.ccls. or (717/168.ccls. or 717/174.ccls.) or (710/35.ccls. or 710/32.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 12:47

17	7	((program\$4 or reprogram\$4) with (flash or eeprom) with packet) and (@ad<=19991215 or @rlad<=19991215)) and ((365/198.ccls. or 365/185.33.ccls. or 365/189.07.ccls. or 365/218.ccls.) or (711/103.ccls. or 711/154.ccls. 711/167.ccls. or 711/218-219.ccls.) or 709/227-228 or 712/37.ccls. or (717/168.ccls. or 717/174.ccls.) or (710/35.ccls. or 710/32.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 13:01
18	207163	(program\$4 or reprogram\$4) with (command or mode or instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 13:02
19	28000	(program\$4 or reprogram\$4) with (flash or eeprom)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 13:03
21	1708	(program\$4 or reprogram\$4) with (writ\$4 near2 enabl\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 13:04
22	359	((program\$4 or reprogram\$4) with (command or mode or instruction)) and ((program\$4 or reprogram\$4) with (flash or eeprom)) and ((program\$4 or reprogram\$4) with (writ\$4 near2 enabl\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 13:05
23	286	((program\$4 or reprogram\$4) with (command or mode or instruction)) and ((program\$4 or reprogram\$4) with (flash or eeprom)) and ((program\$4 or reprogram\$4) with (writ\$4 near2 enabl\$5))) and (@ad<=19991215 or @rlad<=19991215)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 13:05
24	70422	(exit\$3 or end\$3 or finish\$3) with (program\$4 or reprogram\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 13:06
25	145	((((program\$4 or reprogram\$4) with (command or mode or instruction)) and ((program\$4 or reprogram\$4) with (flash or eeprom)) and ((program\$4 or reprogram\$4) with (writ\$4 near2 enabl\$5))) and (@ad<=19991215 or @rlad<=19991215)) and ((exit\$3 or end\$3 or finish\$3) with (program\$4 or reprogram\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 13:06
26	28	((365/198.ccls. or 365/185.33.ccls. or 365/189.07.ccls. or 365/218.ccls.) or (711/103.ccls. or 711/154.ccls. 711/167.ccls. or 711/218-219.ccls.) or 709/227-228 or 712/37.ccls. or (717/168.ccls. or 717/174.ccls.) or (710/35.ccls. or 710/32.ccls.)) and (((program\$4 or reprogram\$4) with (command or mode or instruction)) and ((program\$4 or reprogram\$4) with (flash or eeprom)) and ((program\$4 or reprogram\$4) with (writ\$4 near2 enabl\$5))) and (@ad<=19991215 or @rlad<=19991215)) and ((exit\$3 or end\$3 or finish\$3) with (program\$4 or reprogram\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 14:06
27	73	larsen-peter\$.in. or dover-lance\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 14:06

28	0	((365/198.ccls. or 365/185.33.ccls. or 365/189.07.ccls. or 365/218.ccls.) or (711/103.ccls. or 711/154.ccls. 711/167.ccls. or 711/218-219.ccls.) or 709/227-228 or 712/37.ccls. or (717/168.ccls. or 717/174.ccls.) or (710/35.ccls. or 710/32.ccls.)) and (((program\$4 or reprogram\$4) with (command or mode or instruction)) and ((program\$4 or reprogram\$4) with (flash or eeprom)) and ((program\$4 or reprogram\$4) with (writ\$4 near2 enabl\$5))) and (@ad<=19991215 or @rlad<=19991215)) and ((exit\$3 or end\$3 or finish\$3) with (program\$4 or reprogram\$4))) and (larsen-peter\$.in. or dover-lance\$.in.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 14:07
29	0	(larsen-peter\$.in. or dover-lance\$.in.) and ((program\$4 or reprogram\$4) with (flash or eeprom) with packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 14:07
30	9	(larsen-peter\$.in. or dover-lance\$.in.) and ((program\$4 or reprogram\$4) with (command or mode or instruction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/09 14:07